

Publications for 2005

Books

[†]Hawken, R., [†]Blackburn, N., Lundie, S., and Peters, G. (2005). Pilot Sustainability Report for the University of New South Wales. UNSW Publishing and Printing Service (ISBN 0 7334 2309 4).

Khan, S.J., ^{*}Muston, M.H. and ^{*}Schäfer, A.I. (Eds.) (2005). Integrated Concepts in Water Recycling, University of Wollongong, Wollongong, NSW, Australia. (ISBN 1 74128 082 6).

Schaefer, A.I., Fane, A.G. and Waite, T.D. (2005). Nanofiltration: Principles and Applications. Elsevier Ltd, Oxford, 560 pages (ISBN: 1856174050).

Book Chapters

Barbosa, V.L. and Stuetz, R.M. (2005). Treatment of hydrogen sulphide in biofuels. In: *Biofuels for Fuel Cells: Biomass Fermentation Towards Usage in Fuel Cells* (P. Lens, P. Westermann, M. Haberbauer and A. Moreno eds.), Chapter 24, pp. 430-441, IWA Publishing, London.

Schäfer, A.I., Fane, A.G. and Waite, T.D. (2005). Nanofiltration: Principles and Applications. Elsevier Science Ltd, Oxford.

Waite, T.D. (2005). Effect of speciation on contaminant retention in nanofiltration. In *Nanofiltration – Principles and Applications*, A.I. Schaefer, A.G. Fane and T.D. Waite (Eds), Elsevier.

Waite, T.D. (2005). Role of iron in light-induced environmental processes. In “Environmental Photochemistry Part II” (Ed P. Boule, D. Bahnemann, P. Robertson), Handbook of Environmental Chemistry, Volume 2, Part M (Ed O. Hutzinger), Springer-Verlag, pp. 255-298.

Journal Articles

^{*}Barbosa, V.L. and Stuetz, R.M. (2005). Activated sludge diffusion for odour control. *Water* (March): 135-140.

⁺Braga, O., ^{*}Smythe, G.A., ^{*}Schäfer, A.I. and Feitz, A.J. (2005). Steroid estrogens in primary and tertiary wastewater treatment plants. *Water Science and Technology* **52**(8):273-8.

[†]Braga, O., ^{*}Smythe, G.A., ^{*}Schäfer, A.I. and Feitz, A.J. (2005). Fate of steroid estrogens in Australian inland and coastal sewage treatment plants, *Environmental Science and Technology* **39**(9):3351-3358.

[†]Braga, O., ^{*}Smythe, G.A., Schäfer, A.I. and Feitz, A.J. (2005). Steroid estrogens in ocean sediments. *Chemosphere* **61**(6):827-833.

^{*}Brookes, J.D., ^{*}Hipsey, M.R., ^{*}Burch, M.D., ^{*}Regel, R.H., ^{*}Linden, L.G., [†]Ferguson, C.M. and ^{*}Antenucci, J.P. (2005). Relative value of surrogate indicators for detecting pathogens in lakes and reservoirs. *Environment Science and Technology* **39**(2):8614-8621.

^{*}Butcher, J., ^{*}Jeffrey, P. and Stuetz, R.M. (2005) User influences on knowledge structuring on the Internet: literature survey and case study of a global network of water professionals. *Journal of Hydroinformatics* **7**(4):251-266.

[†]Charles, K.J., Ashbolt, N.J., Roser, D.J., ^{*}McGuinness, R. and ^{*}Deere, D.A. (2005). Effluent quality from 200 on-site sewage systems: design values for guidelines. *Water Science and Technology* **51**(10):163-169.

^{*}Chalmers, R., [†]Ferguson, C. M., ^{*}Caccio, S., ^{*}Gasser, R. ^{*}Abs EL-Osta, Y., ^{*}Heijnen, L., ^{*}Xiao, L., ^{*}Elwin, K., ^{*}Hadfield, S., ^{*}Sinclair, M. and ^{*}Stevens, M. (2005). Direct comparison of selected methods for genetic categorisation of *Cryptosporidium parvum* and *Cryptosporidium hominis* species. *International Journal for Parasitology* **35**(4):397-410.

Chang, S., Waite, T.D. and Fane, A.G. (2005). A simplified model for trace organics removal by continuous flow PAC adsorption/submerged membrane processes. *Journal of Membrane Science* **253**(1-2):81-87.

^{*}Cox, P., ^{*}Griffith, M., ^{*}Angles, M., ^{*}Deere, D., and [†]Ferguson, C.M. (2005). Concentrations of pathogens and indicators in animal faeces in the Sydney watershed. *Applied and Environmental Microbiology* **71** (10):5929-5934.

Davies, C. M. (2005) The terrestrial fate of *Cryptosporidium* in drinking water catchments. *Microbiologist* **6**(2): 38-39.

Davies, C.M., [†]Altavilla, N., ^{*}Krogh, M, [†]Ferguson, C.M., ^{*}Deere, D.A. and Ashbolt, N.J. (2005). Environmental inactivation of *Cryptosporidium* oocysts in catchment soils. *Journal of Applied Microbiology* **98**(2):308-317.

[†]Duesterberg, C.K., Cooper, W.J. and Waite, T.D. (2005). Fenton-mediated oxidation in the presence and absence of oxygen. *Environmental Science and Technology* **39**:5052-5058.

Feitz, A.J., [†]Joo, S.H., Guan, J.G., [†]Sun, Q., ^{*}Sedlak, D.L. and Waite, T.D. (2005). Oxidative transformation of contaminants using colloidal zero-valent iron, *Colloids and Surfaces A*, **265**: 88-94.

Feitz, A.J. (2005). Advanced oxidation processes and industrial wastewater treatment, *Water*, **32**(8):33-36.

Feitz, A.J. (2005) How rusting iron can clean up toxic spills, *Australasian Science* (October):19-20.

Feitz, A.J. (2005). How rusting iron can clean up toxic spills, *Chemistry in Australia*, (reprinted from Australasian Science) November, pp 14-16.

*Ferguson, C.M., *Croke, B., Ashbolt, N.J. and *Deere, D.A. (2005). A deterministic model to quantify pathogen loads in drinking water catchments: pathogen budget for the Wingecarribee. *Water Science and Technology* **52**(8):191-197.

*Hijnen, W.A.M., *Brouwer-Hanzens, A.J., †Charles, K.J., and *Medema, G.J. (2005). Transport of MS2 Phage, *Escherichia coli*, *Clostridium perfringens*, *Cryptosporidium parvum*, and *Giardia intestinalis* in a gravel and a sandy soil. *Environmental Science and Technology* **39**(20):7860-7868.

*Jefferson B., *Nazareno C., *Georgaki S., *Gostelow P., Stuetz R.M., *Longhurst P.L. and *Robinson T. (2005). Membrane gas absorbers for H₂S removal – design, operation and technology integration into existing odour treatment strategies. *Environmental Technology* **26**:793-804.

†Joo, S.H., Feitz, A.J., *Sedlak, D.L. and Waite, T.D. (2005). Quantification of the oxidizing capacity of nanoparticulate zero-valent iron, *Environmental Science and Technology* **39**:1263-1268.

†Kaucner, C., Davies, C.M., †Ferguson, C.M. and Ashbolt, N.J. (2005). Evidence for the existence of *Cryptosporidium* oocysts as single entities in surface runoff. *Water Science and Technology* **52**(8):199-204.

Khan, S.J., *Wintgens, T., *Sherman, P., *Zaricky, J. and *Schafer, A. I. (2005). A performance comparison of individual and combined treatment modules for water recycling. *Environmental Progress* **24**(4):383-391.

Khan, S.J. and *Ongerth, J.E. (2005). Occurrence and removal of pharmaceuticals at an Australian sewage treatment plant. *Water* **32**(4):80-85.

*Långmark, J., Storey M.V., Ashbolt, N.J. and *Stenström, T.A. (2005). The accumulation and fate of microorganisms and microspheres in biofilms formed in a pilot-scale water distribution system. *Applied and Environmental Microbiology* **71**(2):706-712.

*Långmark, J., Storey, M.V., Ashbolt, N.J. and *Stenström, T.A. (2005). Biofilms in an urban water distribution system: measurement of biofilm biomass, pathogens and pathogen persistence within the Greater Stockholm Area, Sweden. *Water Science and Technology* **52**(8):181-189.

Lee, D-J., Swarbrick, G. and Waite, T.D. (2005). Effect of calcite on lead-rich cementitious solid forms. *Cement and Concrete Research* **35**:1027-1037.

Lee, S.A., Fane, A.G. and Waite, T.D. (2005). Impact of natural organic matter on floc size and structure effects in membrane filtration. *Environmental Science and Technology* **39**:6477-6486.

[†]Livingston, D.J., [†]Stenekes, N., Colebatch, H.K., Waite, T.D. and Ashbolt, N.J. (2005). Governance of water assets: A reframing for sustainability. *Water, Journal of the Australian Water Association* **32**(8):19-23.

Lukondeh, T., Ashbolt, N.J. and Rogers, P.L. (2005). Fed-batch fermentation for production of *Kluyveromyces marxianus* FII 510700 cultivated on a lactose-based medium. *Journal of Industrial Microbiology and Biotechnology* **32**(7):284-288.

Lundie, S. and Peters, G.M. (2005). Life cycle assessment of food waste management options. *Journal of Cleaner Production* **13**:275-286.

*Mastrup, M., *Schäfer, A.I. and Khan, S.J. (2005) Predicting fate of the contraceptive pill in wastewater treatment and discharge. *Water Science & Technology* **52**(8), 279–286.

*Pollard, P., *Leeming, R., *Bagraith, S., *Greenway, M. and Ashbolt, N.J. (2005). Impacts of sewage overflows on an urban creek. *Water, Journal of the Australian Water Association* **32**(2):41-46.

*Rogers, N.J., *Apte, S.C., Knapik, A.*, Davies, C.M., *Bowles, K.C. and *Kable, S.H. (2005). A rapid, radiochemical bacterial bioassay to evaluate copper toxicity in freshwaters. *Archives of Environmental Contamination and Toxicology* **49**(4):471-479.

Rose, A.L. and Waite, T.D. (2005). Reduction of organically complexed ferric iron by superoxide in a simulated natural water. *Environmental Science and Technology* **39**(8):2645-2650.

Rose, A.L., Salmon, T.P., Lukondeh, T., Neilan, B.A. and Waite, T.D. (2005). Use of superoxide as an electron shuttle for iron acquisition by the marine cyanobacterium *Lyngbya majuscula*. *Environmental Science and Technology* **39**(10):3708-3715.

Roser, D.J., Ashbolt, N.J., *Ho, G., *Mathew, K., *Nair, J., *Ryken-Rapp, D. and Toze, S. (2005). Hydrogen sulphide test strips and the detection of groundwater contamination by septic seepage. *Water Science and Technology* **51**(10):291-300.

Shu, L., Waite, T.D., Bliss, P.J., Fane, A. and Jegatheesan, V. (2005). Nanofiltration for the possible reuse of water and recovery of sodium chloride salt from textile effluent. *Desalination* **172**:235–243.

[†]Signor, R.S., Roser, D.J., Ashbolt, N.J. and Ball, J.E. (2005). Quantifying the impact of runoff events on microbiological contaminant concentrations entering surface drinking source waters. *Journal of Water and Health* **3**(4):453-468.

*Simpson, S.L., *Apte, S.C. and Davies, C.M. (2005). Bacterially assisted oxidation of copper sulfide minerals in tropical river waters. *Environmental Chemistry* **2**:49-55.

Stuetz, R.M. and *Bowman, A. (2005). IWA's commitment to young professionals. *Water* **21** (June):61-62.

[†]Tangsubkul, N., [†]Beavis, P., Moore, S.J., Lundie, S. and Waite, T.D. (2005). Life cycle assessment of water recycling technology. *Water Resources Management* 19:521–537

[†]Tangsubkul, N., Moore, S.J. and Waite, T.D. (2005). Implications of water recycling to phosphorus management. *Environmental Science & Policy* 8:1-15.

*Thompson A., *Griffin P., Stuetz R.M. and *Cartmell E. (2005) The fate and removal of triclosan during sewage treatment. *Water Environment Research* 77(1):63-67.

*Wintgens, T., *Melin, T., *Schäfer, A., Khan, S., *Muston, M., *Bixio, D. and *Thoeue, C. (2005). The role of membrane processes in municipal wastewater reclamation and reuse. *Desalination* 17(178):1-11.

Conference papers

Ashbolt, N.J. (2005). Bacteria, viruses and other pathogens. In Contaminants of Concern in Water. 22-23 June, 2005, Rydges Lakeside Hotel Canberra pp. CD-ROM. Australian Water Association, Artarmon.

[†]Charles K.J., Davies C.M., *Baker D.L., *Charles C.J., Ashbolt N.J., *Schijven J.F. and *Deere D.A. (2005). Virus transport and fate in soils as a basis for setback distances for septic tanks. In WaterMicro05, Proc. of the IWA Health-Related Water Microbiology Symposium, Swansea, Wales 5-9 September, 2005 CD-ROM.

[†]Charles K.J., Davies C.M., Ashbolt N.J., *Baker D.L., *Souter F.C., *Schijven J.F., [†]Ferguson C.M., *Deere D.A. and *Banens R. (2005). On-site sewage management in Sydney's drinking water supply catchments: virus transport experiments and risk assessment. In On-site'05 Performance Assessment for On-site Systems: Regulation, operation and monitoring. Lanfax Labs, Armidale, Australia.

Chattopadhyay, G., Hirota, K., Chandra, S., and Prasad, D. (2005) Indoor air quality indicators for the Green Globe benchmarking system for tourism companies and developments. Paper 5265, Proceedings of the world sustainable building conference, Tokyo September 27-29, 2005.

[†]Dever, S.A., Swarbrick, G.E., *Annett, L. and Stuetz, R.M. (2005). The effect of landfill gas loading on the performance of a passive biofiltration system operating under Australian conditions. Proceedings 10th International Waste Management and Landfill Symposium, Sardinia 2005, Italy, CD-Rom 10pp.

Duesterberg, C.K. and Waite, T.D. (2005). Chemical oxidation by Fenton's reagent: Process optimisation using kinetic modelling. In Proceedings of International Conference on Novel technology and Management for Drinking Water Safety, Tianjin, China, Sept 6-8, pp. 385-389.

Feitz, A.J, [†]Braga, O., Smythe, G.A. and *Schäfer, A.I. (2005) Steroid estrogens in marine sediments at proximity to a sewage ocean outfall, In *Integrated Concepts in Water Recycling 2005*, pp. 203-211.

*Ferguson, C.M., Davies, C.M., Kaucner C., Ashbolt, N.J., and *Deere, D. 2005. Catchment Research at the Cooperative Research Centre for Water Quality and Treatment. American Water Works Association Annual Conference and Exhibition, San Francisco. CD-ROM.

*Ferguson, C.M., *Deere, D., *Sinclair, M., *Chalmers, R.M., *Elwin, K., *Hadfield, S., *Xiao, L., *Ryan, U., *Gasser, R., *Abs EL-Osta, Y., and *Stevens, M. 2005. Application of genotyping methods to assess risks from *Cryptosporidium* in watersheds. *Environmental Health Perspectives*.

*Ferguson, C. M. 2005. Bugs budgets - practical approaches for determining where best to target pathogen source controls. Paper read at AWA and CRCWQT - Water Hot Topics, at Port Macquarie, Australia. CD-ROM.

*Ferguson, C. M., and *Croke, B. F. W. 2005. Deterministic model to quantify pathogen and faecal indicator loads in drinking water catchments. MODSIM, 12-15th December, 2005, at Melbourne. CD-ROM

*Ferguson, C. M., *Croke, B., Ashbolt, N.J. and *Deere, D.A. 2004. A deterministic model to quantify pathogen loads in drinking water catchments: Pathogen budget for the Wingecarribee. Paper read at 4th International Water Association World Congress and Exhibitions, at Marrakech, Morocco. CD-ROM.

*Flapper, T., *Chapman, H., *Guang-Guo, Y., Khan, S. and *Dennis, S. (2005) EDC's associated with effluent reuse schemes and STP effluent. In: Contaminants of Concern in Water Australian Water Association, Canberra. CD-ROM.

Genkin, G., Waite, T.D., Fane, A.G. and Chang, S. (2005). The effect of axial vibrations on the filtration performance of submerged hollow fibre membranes. Extended Abstracts of ICOM 2005, pp 281-282.

Guan, J., Wang, S.W. and Sun, T.H. (2005) A Developed Membrane Bioreactor (MBR) System For Wastewater Treatment And Reuse In China. Full paper presented at *The 5th International Symposium of Wastewater Reclamation and Reuse for Sustainability (WRRS2005)*. Jeju Island, Korea, 8/11/05 - 11/11/05. CD-ROM.

Khan, S.J. and *Gerrard, L.E. (2005) Stakeholder communications for successful water reuse operations. In: *Integrated Concepts in Water Recycling* (Eds, Khan, S. J., Muston, M. H. and Schäfer, A. I.) Wollongong, NSW, Australia, pp 355-367.

Khan, S.J. (2005) Progress, trends, opportunities and barriers to water reuse in Australia. In: 20th Annual WaterReuse Symposium WaterReuse Association, Denver. CD-ROM.

Khan, S.J. (2005) Risk assessment of pharmaceutical residuals in recycled water. Contaminants of Concern in Water. Australian Water Association, Canberra, ACT, Australia. CD-ROM.

Kaucner, C., Davies, C.M., *Ferguson, C.M. and Ashbolt, N.J. (2004). Evidence for the existence of *Cryptosporidium* oocysts as single entities in surface runoff. In *4th International Water*

Association World Congress and Exhibitions. International Water Association, Marrakech, Morocco. CD-ROM.

*Pollard, P., *Leeming, R., *Bagraith, S., *Greenway, M. and Ashbolt, N. (2005). Health impacts of sewage overflows into a tidal urban (Lota) creek of Brisbane. In Proc. 2005 Annual Meeting of the Australian Society for Microbiology, Canberra. Australian Society for Microbiology, Melbourne. CD-ROM of extended abstracts.

*Seelsaen, N., *McLaughlan, R., Moore, S. and Stuetz, R.M. (2005) Pollutant removal efficiency of alternative media in stormwater treatment. Proceeding 10th IWA conference on Urban Drainage, Copenhagen, Denmark, CD-Rom 8pp.

*Signor, R.S. and Ashbolt, N.J. (2005). Pathogen monitoring offers questionable protection against drinking-water risks: A QMRA approach to assess risk management strategies. In WaterMicro05, Proc. of the IWA Health-Related Water Microbiology Symposium, Swansea, Wales 5-9 September, 2005 pp. CD-ROM.

Swarbrick, G.E., Stuetz, R.M. and ⁺Dever, S.A. Passive drainage and biofiltration of landfill gas using recycled waste materials under Australian conditions. Proceedings 10th International Waste Management and Landfill Symposium, Sardinia 2005, Italy, CD-Rom 10pp.

*Thompson, A., *Winkler, G., *Griffin, P., Stuetz, R.M. and *Cartmell, E. (2005) Parameters affecting removal of pharmaceuticals during sewage treatment. *AWA Chemical of Concern conference*, Canberra, CD-Rom 11pp.

Waite, T.D. and ⁺Santiwong, S. (2005). Membrane fouling in water treatment: Effect of solution composition on resistance and compressibility of gel-forming filter cakes. In Proceedings of IWA International Conference on Particle Separation 2005, pp. 517-524.

*Weber, S., Khan, S.J. and *Hollender, J. (2005) Human risk assessment of organic contaminants in reclaimed wastewater used for irrigation. In: Integrated Concepts in Water Recycling (Eds, Khan, S. J., Muston, M. H. and Schäfer, A. I.) Wollongong, NSW, Australia, pp. 724-735.

*White, I., *Macdonald, B.C.T., *Reilly, R., Melville, M.D. and Waite, T.D. (2005). Unconfined groundwater hydrology of soft sulfidic soils. Proceedings of 29th Hydrology and Water Resources Symposium February, Canberra, pp. 1-8.

Conference presentations

Chang, S., Fane, A.G. and Waite, T.D. (2005). Effect of coagulation within the cake-layer on fouling transients with dead-end hollow fiber membranes. Extended Abstracts of ICOM 2005 pp 431-432.

*Deere D.A., *Davison A.D., and ⁺Ferguson C.M. (2004). Implications for pathogen TMDLs and risk management plans. Paper read at AWWA Water Quality Technical Conference, at San Antonio, Texas.

Feitz, A.J., Lundie, S., *Dennien, G., *Morain, M. and *Jones, M. (2005) Allocating intra-industry material and energy flows using physico-chemical allocation matrices, *4th Australian Conference on Life Cycle Assessment*, 23-24 February 2005, Sydney.

Feitz, A.J., Guan, J., Waite, T.D., *Lancaster, P.L., *McDowall, L., *Doward, J. and *Rose, H. (2005) Degradation of 1,4-thioxane and diisopropyl methylphosphonate (DIMP) using iron nanoparticles, *Decon Downunder, 1st International Conference on the Removal or Destruction of Highly Toxic Chemical and Biological Contamination*, 13 - 16 February 2005, Melbourne.

Feitz, A.J. (2005) Cleanup technologies (advanced oxidation processes), invited paper, *Industrial wastewater process and reuse seminar*, Australian Water Association, 18th May 2005, Melbourne, 25th May 2005, Sydney, 8th September, Adelaide, Australia.

Feitz, A.J. (2005) LCM Experiences in the Dairy sector, *6th Asia Pacific Roundtable for Sustainable Consumption and Production*, 10-12 October 2005, Melbourne.

*Ferguson, C.M., *Deere, D., *Davison, A., *Wood, J. and *Billington, K. 2005. Prioritisation of management strategies in the Torrens catchment (South Australia) using a process based pathogen model. Poster at 13th biennial International Water Association Health-related Water Microbiology Symposium, 5-9 September, at Swansea.

Lestari, F., Green, A. R., Chattopadhyay, G. and Hayes, A. J. (2005) Assessing the toxicity of smoke derived from polymer combustion using human lung cells (A549). Oral presentation. 5th World congress on alternatives and animal use in the life sciences. August 21-25, Berlin, Germany 2005.

Lundie, S. Feitz, A.J. and *Kröger, T. (2005) Integrating environmental and economic systems analysis - A case study of air-conditioning systems, *4th Australian Conference on Life Cycle Assessment*, 23-25 February 2005, Sydney.

Lundie, S. (2005) Sustainable Consumption – Australian Case Studies. International Society for Industrial Ecology 2005 Conference, June 12 – 15, 2005, Sweden.

Peters, G. Introduction to life cycle assessment at Sydney Water. Vicwater Sustainability Seminar, Melbourne 20 May 2005.

Peters, G. and *Rouse K. (2005) Environmental sustainability in water supply planning – an LCA approach for the Eyre Peninsula, South Australia. 4th Australian Life Cycle Assessment Conference - Sustainability Measures for Decision Support, Sydney 23-25 February, 2005. Australian Life Cycle Assessment Society, Melbourne.

Quirk, R., Melville, M.D., Waite, T.D., Desmier, R., Kinsela, A.S., Reynolds, J., Smith, J., Keen, A., Macdonald, B.C.T., White, I. and Donner, E. (2005). Acid sulfate soils: their drainage, oxidation, and best management. Proceedings of American Association for the Advancement of Science First International Conference, New Orleans, January.

Roser, D. J., Davies, C. M., Ashbolt, N. J., and *Morison, P. (2005) Microbial exposure assessment of an urban recreational lake: a case study of the application of new guidelines. Presented at the *Health Related Water Microbiology IWA Conference*, Swansea, 4-8 Sept 2005.

*Stevens, M., and †Ferguson, C. M. 2004. Application of genotyping methods to assess pathogen risks from *Cryptosporidium* in drinking water catchments. Workshop at IWA 4th World Water Congress and Exhibition, at Marrakech, Morocco 2005.

Technical Research Reports

Ashbolt, N.J., Petterson, S.A., *Stenström, T.A., *Schönning, C., *Westrell, T. and *Ottoson, J. (2005). Microbial Risk Assessment (MRA) Tool. Urban Water Report 2005:7. Chalmers University of Technology, Göteborg. ISSN 1650-3791

Davies, C.M., Kaucner, C., †Altavilla, N., Ashbolt, N. J., †Ferguson, C. M., *Krogh, M., *Hijnen, W., *Medema, G., and *Deere, D. A. (2005) Fate and transport of surface water pathogens in watersheds. Denver, Colorado, USA: *American Water Works Association Research Foundation Report 1P-4.75C-91078F-10/05-CM*, 261 pp.

Dwyer, L., Forsyth, P., Fredline, L., Jago, L., Deery, M. and Lundie, S. (2005) Concepts of tourism yield and their measurement. Final report to the CRC for Sustainable Tourism, Melbourne

Feitz A., Wang X. and Stuetz R.M. (2005) *Review of Oxidation Processes for Destruction of Odours from Alumina Refinery Digestion Condensate*. Final Report for Alumina Industry Air Emissions Forum, 29p. CWWT Report 2005/4.

Feitz, A.J., Guan, J. and Wang, X. (2005) Assessment of advanced oxidation technologies for odour control: Stage 2, Final Report, 10 June 2005, TEMCO. CWWT Report 2005/5.2.

†Ferguson, C.M. (2005) Deterministic model of microbial sources, fate and transport: a quantitative tool for pathogen catchment budgeting. PhD, School of Biotechnology and Biomolecular Science, University of New South Wales, Sydney.

Guan, J. (2005) Bench –Scale Test For Treatment Of Groundwater Contaminated With Trichloroethene (TCE) Using Granular Activated Carbon (GAC). CWWT Report 2005/10.

*Hipsey, M. R., *Antenucci, J. P., *Brookes, J. D., *Burch, M. D., *Regel, R. H., Davies, C., Ashbolt, N. J. and †Ferguson, C. (2005) Denver, Colorado, USA: *American Water Works Association Research Foundation and US Environmental Protection Agency Report 1P-4.5C-91073F-08/05-CM*, 164 pp.

*Jönsson, H., Ashbolt, N., *Baky, A., *Drangert, J-O, *Krantz, H., *Kärman, E., *Ledin, A., *Ottoson, J., *Palmquist, H., *Westrell, T. and *Vinnerås, B. (2005) Slutrapport från modellstaden Urbana enklaven (Final report for the model city Urban Enclave; in Swedish, English abstract). Urban Water Report 2005:8. Chalmers University of Technology, Göteborg.

*Kärman, E., *Söderberg, H., Lundie, S., Ashbolt, N.J., †Kazaglis, A., †Lai, E., †Livingston, D. and *Anderson, J. (2005). Literature Review. Methodology for Evaluating the Overall Sustainability of

Urban Water Systems. Centre for Water and Waste Technology, University of New South Wales, Sydney.

Khan, S.J. (2005) Drivers, challenges and prospects for water reuse in Australia. (Department of the Environment & Heritage) CWWT Report 2005/12.

Khan, S.J. and Feitz, A.J. (2005) Fate of acetaldehyde in Wagerup cooling lakes. (Final report for Alcoa Australia Ltd). CWWT Report 2005/13.

Khan, S. J. and *Gerrard, L. E. (2005) Chapter 6: Consultation and Communication. In: National Guidelines for Water Recycling - Managing Health and Environmental Risks. Natural Resource Management Ministerial Council, Environment Protection and Heritage Council, Canberra, 166-175. (*Draft released for Public Comment*).

Lundie, S., Ashbolt, N.J., [†]Livingston, D.J., [†]Lai, E., *Kärman, E., *Blaikie, J. and *Anderson, J. (2005) Sustainability Framework: Methodology for Evaluating the Overall Sustainability of Urban Water Systems. Centre for Water and Waste Technology (commercial report for Water Services Association of Australia) University of New South Wales, Sydney.

Lundie, S. and Feitz, A. (2005) Life Cycle Assessment of 1kg block of Bega Tasty Cheddar Cheese. Final report for Bega Cheese.

Peters G, Feitz A, Lundie S (2005) Life Cycle Analysis of the Australian Red Meat Industry. CWWT Report 2005/5. (Commercial research report for Meat and Livestock Australia).

*Pollard, P., *Leeming, R., *Bagraith, S., *Greenway, M. and Ashbolt NJ (2005) Impacts of sewer overflows on an urban tidal creek of Lota, Brisbane. Griffith University, Brisbane.

Roser, D.J., Davies, C., Wyllie, S. and Ashbolt, N.J. (2005) Lake Parramatta water safety plan for the management of recreational water quality and water borne pathogens. Stage 2. Assessment of dry weather water quality suitability classification and development of dry weather management strategies. CWWT Report 2005/8.

Stuetz, R. (2005) Rehabilitation of the former Camide landfill gas drainage and biofiltration trial progress report. (prepared for CSR PGH). CWWT Report 2005/7.

Stuetz, R.M., Jefferson, B. and Parsons, S.A. (2005) *Activated Sludge Diffusion for Odour Control*. Final report for Engineering and Physical Sciences Research Council grant (GR/R41064), 6p

Patents

Feitz, A.J., [†]Joo, S.H. and Waite, T.D. (2005) Method for decontaminating surfaces. PCT Int. Appl., WO2005/053797.

[†] Student, * author external to UNSW